Following the Local Government and Accountability Act 2014 the Council now has a policy on filming and recording of Local Council and Committee meetings which will be on view in the Council Chamber or Committee Room as appropriate. Those attending meetings are deemed to have consented to the filming, recording or broadcasting of meetings. Those exercising the rights to film, record and broadcast must respect the rights of other people attending under the Data Protection Act 1998. Members of the public may not wish to be recorded and the Chair of the meeting will ensure insofar as is possible that any request not to be recorded will be respected.



NORTHAM TOWN COUNCIL
TOWN HALL
WINDMILL LANE
NORTHAM
DEVON
EX39 1BY

To: All Members of the Town Projects and Asset Management Committee

Cc: All Northam Town Councillors

You are hereby summoned to attend a meeting of the Town Projects and Asset Management Committee to be held in the Committee Room, Windmill Lane, Northam on **Thursday 7th March 2024** at **10.00am**

The agenda for the meeting is shown below.

Date of summons: 1st March 2024

M J Mills

Mrs Jane Mills BA(Hons) FSLCC, MILCM

The following are Members of the Town Projects and Asset Management Committee: Councillors Tait (Chair), Bach, Bruins, Edwards (Deputy Chair), Hodson, Lo-Vel, Whittaker, and the Mayor ex-officio. All Councillors are invited to attend.

Part A

- 1 Apologies
- 2 Chair's Announcements
- Declarations of interest:
 Members are reminded that all interests should be declared prior to the item being discussed.
- 4 To agree the agenda between Part A and Part B (confidential information)
- To confirm and sign the minutes of the Town Projects Meeting held 25th January 2024 as a correct record (herewith)
- 6 Public Participation

Members of the public are permitted to make representations, answer questions and give evidence in respect of any item of business included in the agenda. Each member of the public is entitled to speak once only in respect of business itemised on the agenda and shall not speak for more than 4 minutes. The period of time which is designated for public participation in accordance with standing orders shall not exceed 20 minutes.

- 7 To consider review of Action Points and Projects, (outstanding and completed herewith.)
- To receive an update on the annual footpath survey and consider the actions suggested (to include the resurfacing of footpath 10a and other items) (herewith)
- 9 To consider installation of planters either side of the bus shelter opposite the Seagate.
- 10 To consider the tree survey for Northam Town Council owned land and work required (herewith).
- To consider the renewal of the three defibrillators through SWAST or alternative options and additional for Westward Ho! Park(Information herewith)
- 12 To consider purchase of a salt spreader
- 13 To consider requests from Climate Emergency Committee.
 - To consider composting
 - To consider a storage location for the Council's Planters during the off-season
- To receive an update on the play inspection report and consider its recommendations. (herewith)
- 15 To consider a request to adopt a small piece of land at Burrough Farm.

PART B

- To resolve: that under section 1(2) of the Public Bodies (Admission to Meetings) Act 1960 that the public and press be excluded from the meeting.
- 17 To consider work required on the floor at Northam Hall (report and quotes attached)
- 18 To resolve to readmit members of the press and public.

Northam Town Council – Minutes of the Town Projects and Asset Meeting held on Thursday 25th January 2024 in the Council Chamber, Town Hall, Windmill Lane, Northam

Present:

Cllrs Tait, (Chair), Bach, Edwards (Deputy Chair), Hodson, Lo-Vel, Whittaker

and the Mayor (ex-officio)

In attendance:

Jane Mills - Town Clerk

Guy Langton - Deputy Town Clerk

2401/689

Apologies

Apologies - Cllr Whittaker

2401/690

Chair's announcements

No announcements

2401/691

Declarations of interest

Members were reminded that all interests should be declared prior to the item being

discussed.

There were none.

2401/692

To agree the agenda as published

It was resolved to agree the agenda as published.

Proposed: Clir Hodson, Seconded: Clir Edwards (all in favour)

2401/693

To confirm and sign the minutes of the Town Projects Meeting held 14th

December 2023

It was resolved to confirm and sign the minutes of the Town Projects Meeting held

14th December 2023 as correct record,

Proposed: Cllr Hames, Seconded: Cllr Bach (all in favour)

2401/694

Public Participation

Members of the public are permitted to make representations, answer questions and give evidence in respect of any item of business included in the agenda. Each member of the public is entitled to speak once only in respect of business itemised on the agenda and shall not speak for more than 4 minutes. The period of time which is designated for public participation in accordance with standing orders shall not exceed 20 minutes.

No members of the public were present.

2401/695

To consider review of Action Points and Projects,

Amendments and updates attached.

2401/696

To receive an update on the works to provide mains water to the Northam,

Lions clubhouse.

Members were advised that a surveyor had visited and work was proceeding.

2401/697

To consider the adoption of the phone booth at Cornborough Rd as a

defibrillator location

It was resolved not to adopt the phone booth at Cornborough Rd

Proposed: Cllr Edwards, seconded: Cllr Bach (majority in favour of the proposal)

2401/698

To receive an update on the annual footpath survey and consider the actions

suggested (to include the resurfacing of footpath 10a)

Clir Hames requested to defer the footpath survey to the next meeting.

Cllr Bach raised the issue of a handrail on the footpath at Fosketh Hill.

It was **resolved** to write to the owner to seek permission to install a short length of handrail.

Proposed: Cllr Bach, seconded: Cllr Edwards (all in favour in favour)

Action Points: Survey Report next agenda, write to owner re installation of handrail.

2401/699

To consider the maintenance and storage of planters (3-tier) to maximise the benefits of the planting schemes.

It was agreed to investigate cost of joint storage, hire of a fork lift for moving whether joint procurement would reduce the cost for planting for all our hanging baskets and planters.

Action Point: bring information to a future meeting.

2401/700

To receive an update on the Fernbank project to replace bus shelters across Appledore, Northam and Westward Hol, to include communication from a resident regarding the refurbishment of the double shelter opposite the Seagate Hotel, Appledore

After some discussion about the refurbishment of the double shelter opposite the Seagate Hotel by volunteers, and following advice that DCC propose to replace the shelter in conjunction with Fernbank,

It was **resolved** to write to DCC and the Conservation Officer at TDC about the proposed unsympathetic design and provision of advertising for the bus shelter, particularly in a conservation area.

Action Point: Write to DCC and TDC Conservation Officer regarding bus shelter replacement.

2401/701

To consider the outcome of the annual play inspection surveys.

Members discussed the recommendations from the play inspection report. Concern was expressed regarding drainage in respect of the DDA roundabouts installed in the parks and the issue will be investigated. Suppliers will be contacted And asked to evaluate the problems.

It was resolved to accept the recommendations from the report

- A maintenance schedule be drawn up to attend to the general maintenance points noted. A separate plan needs to be drawn up for each Park, based on the relevant report. Manufacturers are to be contacted for spare parts as appropriate.
- 2. Playground installers/repairers be contacted to provide estimates for the work that requires professional intervention.
- 3. Chains suspending swings in many of the parks have been identified as a risk, even those replaced less than 18months ago. It is recommended that a stock of suitable chains is kept by the Council to ensure replacement is swift should one fail a periodic in-house inspection.
- 4. Compliant signage and recycling/litter bins be placed at parks as appropriate. Signs would cost approx. £40 each (exVAT). Bins are the subject of review by Full Council. Proposed, Cllr Hodson, seconded Cllr Bach (all in favour)
 Action Point: contact suppliers regarding DDA compliant roundabouts drainage problems. Put recommendations into effect.

2401/702

To consider a request from a Councillor to investigate the possibility of installing footway/pavement lights along a stretch of Golf Links Road It was resolved to contact DCC requesting an adjustment to the lighting Proposed: Cllr Bach, seconded: Cllr Lo-Vel (All in favour)

Action Point: Contact DCC

Minutes	Page 186
2401/703	To consider protecting the paint finish of the Nextem Orca EV with a white vinyl wrap (to include NTC crest and contact details) – approximate cost £700 It was resolved to proceed with the protection as above, Proposed: Cllr Hames, seconded: Cllr Hodson (All in favour) Action Point: proceed with works
2401/704	To consider a tree survey for Northam Town Council owned land (herewith). It was resolved to accept the fee proposal from Consultant A in the sum of £600.00 Proposed: Clir Edwards, Seconded: Clir Hodson (all in favour) Action Point: Proceed with survey'
2401/705	To review the Appledore Boat Park terms and conditions (herewith – note, only the application form year has changed). Clir Tait declared an interest as a user of the boat park. It was resolved to accept the terms and conditions. Proposed: Clir Hodson, seconded: Clir Hames (majority in favour, one abstention, interest declared)
	There being no further business the meeting closed at 8.40pm
Signed	Dated

Post Meeting Action Points and Projects Review for March 2024

7

Amendments shown in blue to be updated for the next meeting

i Asset list and maintenance costs. The work to draw this document together continues. The outcomes of the play inspection surveys will be fed into it. Remains on the list

ii Tree stump removal at Northam Hall. Work completed, remove from list after meeting.

iii Lords Meadow zip wire, will need replacement in about 2 years currently not rotting at base, but everywhere else. Provision has been made in the 2024-25 budget for replacement. Quotes to be sought later in the Spring. Will remain until quotes are brought to a meeting and work completed.

iv White Lining - Councillor Edwards to speak to County Councillor. Town Clerk has written to DCC re NTC's power to apply white lines. Email response from DCC circulated, Cllrs to monitor white line situation and advise the office of updates.

v Dog bin requests, TDC considering Griggs Close, all others refused This bin has been added to TDC list for consideration next year. Matter retained until update received office has chased 9th February and 23rd February. Response received 27th February, TDC Officer has spoken to his manager, and TDC are not looking to put a dog bin at Griggs close, Northam at present. But will keep it on record for when they do review their dog bin rounds.

vi Weed control review annual on August agenda. Remains on the list.

vii Battery powered equipment replacement, under regular review. Purchase of a second battery has been added to the 2024-25 budget.

viii Footpath survey included as an agenda item, including the resurfacing footpath 10A, it was agreed that the footpath survey would be completed, and Councillor Hames would report back. The agenda item was deferred and added to March Agenda

ix Anchor Park replacement weather dependent.

x Anchor Park, hedge laying scheduled February 2024. This work has started and will be spread over 4 days but not consecutively. 1st day completed.

xi Westward Ho! finger post. Contractor appointed and required documents submitted to TDC for approval, await licence from TDC. Update since meeting, licence received and contractor booked, work to be completed in March. Completion will be advised.

xii Tree planting Lords Meadow completed. Remove after next meeting.

xiii Green flag award scheme to remain on the agenda. It Has been suggested that the green flag scheme should remain on the projects list rather than as an agenda item.

xiv Planting for hanging baskets and planters, members were advised of neighbouring councils arrangements for their floral displays, it was a agreed to continue with Merry Harriers this year., it was a agreed to continue with Merry Harriers this year. Additional quotes would be sought in 2024 for 2025. Will remain on list until further information received.

xv Resurfacing at the base of the basket swing an Anchor Park likely to cost £4000 to £5,000 and has not been included in 2024-5 budget. Not wearing through at present but include in budget 2025-6

xvi Northam Lions have been written to. They have been advised about the typing error in their accounts and have been asked to submit an amended document, they have also been advised about the requirement for planting around the boundary fence and suggestions made as to where they could seek funding for it. This is on February Full Council (planting)

xvii replacement of the ball fencing at Lords Meadow, a substantial sum has been included in the budget for work required at Lords Meadow for next year.

xviii Request for agenda item regarding street lighting in Golf Links Rd (between Avon Lane and Beach Rd, DCC to be contacted. DCC contacted and are liaising with Cllr Bach, remove after meeting.

xix To purchase sufficient cord for a full replacement of the lines at Bone Hill flagpole. Completed, remove after February meeting.

xx Bus shelter glass replacement at Golf Links Road. The retaining strips and gaskets have not been retained. There is no longer a UK supplier for the shelters (a Polish company). Devon Glass are seeking suitable parts. Price awaited being chased for a response.

Additions from meeting January

Footpaths. Survey Report next agenda, write to owner re installation of handrail Fosketh Hill. Agenda item written to owner.

Maintenance and storage of planters (3-tier) to maximise the benefits of the planting schemes. Bring information to a future meeting.

Zoom meeting scheduled with Bideford Town Council, update to follow.

Bus Shelters (Appledore opposite the Seagate) Write to DCC and TDC Conservation Officer regarding bus shelter replacement. All parties have been contacted and as a result, bus shelters in Appledore will not be replaced in the foreseeable future. Future agenda request for NTC to provide planters around the above shelter. Agenda item.

Request from a Councillor to investigate the possibility of installing footway/pavement lights along a stretch of Golf Links Road.

Contact DCC requesting an adjustment to the lighting Contact made and Cllr Bach liaising with DCC. This will be removed after the meeting.

To consider protecting the paint finish of the Nextem Orca EV with a white vinyl wrap (to include NTC crest and contact details) – approximate cost $\pounds 700$. This is proceeding.

Tree survey for Northam Town Council owned land. Proceed with survey. Survey completed. Agenda item.

Jane Mills



Parish Paths Partnership Survey Form

	2	က	S	9		7	0	
70 10 10 10 10 10 10 10 10 10 10 10 10 10	Status	Number	Length (m)	Inspection Date	Does Parish Cut Path? (Yes/No)	Pass / Fail	Reason for Failing (use Condition Codes)	Works Needed
Appledore		ဖ				Fail S4	3	Chippings needed
Appledore		44				Fail ST2	ST2	Replace with gate
Northam		10A				Fail S4		Chippings and dainage pipe
Northam		10A	1			Fail S4		Chippings needed by Goats Hill
Northam/Orchard Hill		17				Fail S4		gare Drainage pipe/chippings. Landowner volunteed DRIORITY
Northam/Orchard Hill		17				Fail	Fail SP/WM1	Footpath sign needed side of link
Northam/Orchard Hill		18				Fail S4		road (Silford) Chippings needed at gate from
Northam/Orchard Hill		18	***************************************			FaillOct		Lenwood to Silford Level off Step from Jerwood to
Northam/Orchard Hill		18						Raleigh
Westward Ho!	40.000000000000000000000000000000000000	24			100000000000000000000000000000000000000	Fall V4		Raleigh Hill
	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Fail S4		Chippings at Silford Croos
Westward Hol		24						Path to Wwho!/Fosketh Hill
Westward Hol		24						Replace railing and deblica
Westward Hol		26				Fail S4		Orainade needed by object
				Page 1 of 4)14			

Parish Paths Partnership Survey Form

		, , ,	io	<u> </u>				1	l			
d	Works Needed	Chippings needed. Muddy section coming down hill	Chippings needed. Muddy section coming down hill	Steep drop at side of path query railings needed								***************************************
60	Reason for Failing (use Condition Codes)	88	S4									
7	Pass / Fail	Fail S4	Fail S4			7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
9	Does Parish Cut Path? (Yes/No)						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				
v	Inspection Date											
'n	Length (m)											
ဗ	Number	26	26	26			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					
2	Status											
F-	Parish	Westward Ho!	Westward Ho!	Westward Ho!								

P3 Survey Comment Sheet

ParishAppledore Path No6	
Grid Deference Aller 1914	
Grid Reference/What3Words	
Comment Path either side of Bidna Lane to Wooda Road and to the	estuary has muddy areas which
could be surfaced with chippings	estuary has muddy areas which

ParishAppledorePath No4a	
Grid Reference Miles (200) and 1404d	
Grid Reference/What3Words	
CommentStyle to high, replace with a gate	

3	-W

	200
	,
ParishNorthamPath No10a Grid Reference/What3Words CommentMuddy and dangerous by constnate acts. Ohio	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as	nd drainage pipe needed.
ParishNorthamPath No10a Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings are Muddy and slippery by Goats Hill gate, chippings needed	nd drainage pipe needed.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as	nd drainage pipe needed.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as	nd drainage pipe needed.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings as Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings are Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered.	
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.
Grid Reference/What3Words CommentMuddy and dangerous by coastpath gate. Chippings ar Muddy and slippery by Goats Hill gate, chippings needed ParishNortham/Orchard HillPath No17 Grid Reference/What3Words Comment Unusable in wet conditions, water drainage from field. Drain Landowner volunteered. Footpath sign needed side of Link Road/Silford	age pipe/chippings.

P3 Survey Comment Sheet

ParishNortham/Orchard HillPath No18	
PatisinNottham/Orchand HillPath No18	
Grid Reference/What3Words	
Comment Muddy at gate path from Lenwood Road to Silford.	
Steps need levelling-trip hazard path from Lenwood to Raleigh	
Doth from Lorusoid Day 14 Day 14 Day 15 Day	
Path from Lenwood Road to Raleigh Hill very muddy PRIORITY.	
***************************************	• • • • • • • • • • •
ParishWestward Ho!Path No21	
Chief Defended State 1034	
Grid Reference/What3Words	
Comment Path from Silford cross – Muddy area needs Chippings.	
	100

	* * * * * * * * * * * * * * * * * * * *

Parish Westward Hol Path No. 24	
ParishWestward Ho!Path No24	
Grid Reference/What3Words	
Grid Reference/What3Words	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps	
Grid Reference/What3Words	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise.	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish Westward Ho!	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – raillings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – raillings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – raillings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish Westward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. ParishWestward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	
Grid Reference/What3Words Comment Path Westward Ho! To fosketh Hill – railings needed on bottom steps. Same path, wood railing rotten. Replace railings and stabalise. Parish Westward Ho!Path No26 Grid Reference/What3Words Comment Surface water, flooding from rain off. Drain needed by chalets. Muddy section coming downhill, chippings needed. Steep drop at side of path, Zigzag. Railing needed	



Arboricultural Tree Condition Report For Northam Town Council, Devon.



Coastal Tree Consultancy, Upcott Mill, Coach Drive, Bideford, EX39 5JH bruce@coastaltree.co.uk

16th February 2024

TREE CONDITION ARBORICULTURAL REPORT

Instructed by:	Guy Langton Deputy Town Clerk Northam Town Council Town Hall, Windmill Lane, NORTHAM. EX39 1BY
Compiled by;	Bruce Macfarlane, MArbor A, P Dip Arb
Date:	16th February 2024
Report ref:	CTC160224HS

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

EXECUTIVE SUMMARY

The trees on these four sites are in average condition however, there was Ash Dieback (Hymenoscyphus fraxineus) in the trees across the sites and some works to ash are required. The ash trees will need monitoring during the summer months to assess their condition and appropriate works carried out when required.

There was also Dutch elm disease in many of the hedgerow elms across the sites.

It will be important for the Town Council to continue to manage and inspect the Council trees to ensure the safety of the general public using these greenspaces.

CONTENTS

Tree Condition Arboricultural Report1
Executive Summary2
1. Instructions4
2. limitations4
3. Site details4
4. Findings 5
5. Conclusions7
6. Recommendations
Appendices9
Appendix A. Site Plans9
Appendix B. Photographs10

1. INSTRUCTIONS

- 1.1 I am instructed by Guy Langton of Northam Town Council, to inspect and report by visual inspection on the condition of trees at four sites:
 - Burrough Farm
 - Lords Meadow
 - Anchor Park
 - Blackies
- 1.2 I am asked to advise on the health and safety of the trees with regards; structure, pest and disease and fungal decay and where necessary make recommendations regarding health and safety tree works.

2. LIMITATIONS

- 2.1 Trees and shrubs are living organisms whose health and condition can change rapidly. The health, condition and safety of trees should be checked on a regular basis, preferably at least once a year. The conclusions and recommendations of this report are only valid for a period of one year. These periods of validity may be reduced in the case of any changes in conditions in the proximity of the trees or built structures.
- 2.2 I have not carried out an inspection of the drainage or service systems or buildings and foundations.
- 2.3 The report is of preliminary nature, if further details are required these will be highlighted in the recommendations.
- 2.4 The trees have been inspected from ground level, should a more detailed climbing inspection be required this will be highlighted in the recommendations.
- 2.5 I have not examined the soil or removed samples for analysis. If samples are required this will be highlighted in the recommendations.

3. SITE DETAILS

- 3.1 I inspected the trees at the four sites on the 15th February 2024. The following information is presented regarding the trees:
 - Tree number as shown on plan.
 - Tree species.
 - Comments on condition of trees leaves, shoots and main framework, any defects, fungal fruiting bodies, pest, disease or any other defects.
 - Recommendations for works.

4 FINDINGS

4.1 Burrough Farm

- 4.2 Burrough Farm is an area of grassed open space with perimeter trees, all weather sports pitch and allotments. The area backs onto housing along the northern and southern boundaries and is regularly used by dog walkers.
- 4.3 All the trees on the site were assessed, but only trees requiring works were recorded and the approximate positions are shown on the plan in Appendix A.
- 4.4 There were two groups of trees, and three individual trees on site recorded as requiring works, the table below shows the trees that require works;

Table 1: Table of recommended tree works.

Tree	Condition	Works	Time Frame (Months)
T1 Elm	Two dead elm at end of hedgerow, one collapsed leaning in hedge	Fell	3mths
Ash	Currently no signs of ash dieback	Monitor for dead leaves in summer	12-24mths
T2 Ash	Ash dieback present, 50% plus canopy dieback,	Consider removal, minimum pollard	6-12mths
G1 Ash/elm	Three ash, 30-40% dieback, rear of neighbouring houses. Semi mature elm along boundary some signs of bark death caused by Dutch elm disease, extent of canopy death not clear, but some stems dying	Fell or pollard Check extent of dieback in summer some felling may be required next winter.	6-12mths
T3 Elm	Small twin stem dead elm	Fell	3mths

- 4.5 There is ash dieback and Dutch elm disease in the trees around Burrough Farm, they are best checked during mid to late summer when the extent of the infection can be seen in dieback of leaves within the canopy.
- 4.6 Photographs of selective trees to be found in Appendix B.

4.7 Lords Meadow

- 4.8 This is an area of grassed open space with a playground to northern end which sits within a small housing estate, there are trees and hedgerows to all boundaries.
- 4.9 All the trees on the site were assessed, but only trees requiring works were recorded and the approximate positions are shown on the plan in Appendix A.
- 4.10 There were two small groups of tree requiring work, the table below shows the trees that require works;

Table 2: Table of recommended tree works.

Tree	Condition	Works	Time Frame (Months)
G1 Oak	Two mature oak minor deadwood in canopy 40mm less dia.	Remove deadwood	12mths
G2 Elm	Hedgerow elm check summer for Dutch elm disease in canopy, yellowing of leaves	Monitor for dead/dying leaves in summer	12-24mths

4.11 Photographs of selective trees to be found in Appendix B.

4.12 Anchor Park

- 4.13 The park is a grassed open space with circular footpath and a play area to the eastern end.
- 4.14 All the trees on the site were assessed, but only trees requiring works were recorded and the approximate positions are shown on the plan in Appendix A.
- 4.15 There were two individual trees requiring work, the table below shows the trees that require works;

Table 3: Table of recommended tree works.

Tree	Condition	Works	Time Frame (Months)
T1 Weeping Ash	Poor condition, dieback, deadwood. However, small tree low risk, currently no action required	None required, check condition 12 months	12mths
T2 Ash	Extensive Ash canker in main trunk and canopy. Small canopy with one main leader.	Reduce height of leader by 2.5m to reduce risk of snapping. Monitor ongoing condition of tree	6mths
T3 Holm oak	Mature oak multi stems with included bark stem union. Probably minor decay within union, weighted over play area.	Reduce weight of canopy over play equipment by crown reduction of approximately 1-1.5m	12mths

Coastal Tree Consultancy, Upcott Mill, Coach Drive, Bideford, North Devon, EX39 5JH

16th February 2024

Tel; 07931 762309, Email; bruce@coastaltree.co.uk, Web; www.coastaltree.co.uk

4.16 Photographs of selective trees to be found in Appendix B.

4.17 Blackies open space

- 4.18 Blackies is a small area of open space adjacent to St Mary's Church in Appledore. The steeply sloping site has a short footpath with several seating benches, there are trees scattered across the site and there is a small wooded area to the rear of the grassed slope.
- 4.19 All the trees on the site were assessed, but only trees requiring works were recorded and the approximate positions are shown on the plan in Appendix A.
- 4.20 There was one individual tree and one group of trees requiring work, the table below shows the trees that require works;

Table 4: Table of recommended tree works.

Tree	Condition	Works	Time Frame (Months)
T1 Prunus 'Kanzan'	Mature tree with extensive canker/decay main trunk, canopy okay. Tree has compensated with extra growth on back of trunk however, failure could occur.	Reduce height by 3m and reduce low long limb towards road by 2m will reduce risk of failure and extend life.	12mths
G1 Corkscrew Willow	Group of four willows on bank above lay by. canopies leaning and weighted to road. Ivy on main trunks	Reduce canopy over road by 2-3m, (trees could be Pollarded). Sever ivy at base now growing into canopy adding weight.	12mths

4.23 Photographs of selective trees to be found in Appendix B.

5. CONCLUSIONS

- 5.1 The trees within the four sites were generally in average condition. Most works are to ash with ash dieback and Dutch elm infected elm trees. These two diseases will continue to affect ash and elm and the best time to inspect for the extent of these vascular fungal diseases is during mid to late summer when infection can be seen in blackened dead leaves in ash and yellowing leaves in elm.
- 5.2 Some pruning works are also required to several trees across the sites.

6. RECOMMENDATIONS


- 6.1 Works should be carried out as per the works tables above, if works are significantly delayed the trees should be re-inspected to ensure their ongoing safety.
- 6.2 Ash dieback will be any ongoing tree management problem, young infected/dead trees do not pose a health and safety risk, but their removal may be appropriate to reduce the concerns of the public using these sites. The larger more mature ash will need to be monitored, especially late summer, as symptoms become more advanced more tree may need to be removed.
- 6.3 All tree work should be carried out by a suitably qualified arborist and to BS3998:2010 for Tree Work.
- 6.4 As these are public open spaces as a minimum the trees should be inspected yearly (by a competent person/member of the PC) and have the tree inspected by a suitably qualified Arboriculturalist approximately every 3 years, or as the Town Councils safety policy and insurance dictate. The Town Council should also check the trees following a storm event and that all such inspections are recorded. Should there be any concerns about the safety of a tree the town Council should have it checked by an Arboriculturalist.

APPENDICES

APPENDIX A. SITE PLANS

See separate PDF plans for each individual site.


APPENDIX B. PHOTOGRAPHS



Lords Meadow, Group G1 oak requiring deadwood removal



Anchor Park, Ash T2 with ash canker




Anchor Park, Holm oak T3 included bark in stem









Report on renewal of existing defibrillators and purchase of one other.

The Town Council has recently been approached by SWAST (South West Ambulance Service) regarding the renewal of our three defibrillators, as the contracts end in December 2024.

To renew in December the cost will be £3000 for the 1st and £2000 each for the other two, making a total renewal cost of £7000 for a four-year contract.

We can also purchase currently another at £1800 for Westward Ho! Park with a four year contract.

We recently acquired a defibrillator for Northam Hall free of charge (it was grant aided). This was supplied through London Hearts fully equipped in a cabinet.

London Hearts are now offering an opportunity to purchase, which is partially grant funded at a cost of £750 pounds per defibrillator.

These come in a cabinet and are fully equipped and operational. They come with an eight-year warranty.

If we purchase three replacements instead of renewing with SWAST that would cost us £2250 and if we also purchased one for Westward Ho! Park, the total would be £3000. These would have to be installed within four weeks of purchase and London Hearts do not have many left.

We would have to remove the SWAST ones to comply with the London Hearts conditions, which would mean we would have paid for nine months which we would not receive the benefit of. On a four-year agreement this equates to £712.50 loss.

With the ones purchased from London Hearts we would be responsible for replacing pads and rescue packs.

London Hearts provide replacement packs at £47 but if a life is saved the pack would be free. If the rescue pack is used replacements are £6.00 +VAT

Over the period where the SWAST defibrillators are installed,

Arnolds Pharmacy replacement 6

Northam News 5

Appledore Social Club 1

Finance

4 defibrillators from SWAST no further cost for pads etc £8800

Grant aided from London Hearts £3000.00

Loss on SWAST £712..50

Removal and installation (max) <u>£400.00</u>

Total £4112.50

Average p/o pads & rescue packs £1113.00 (over four years)

<u>Total</u> £5225.50

Savings overall £3574.50

Possible additional cost new battery every 5 years (£230.00)

Budget provision for the future could be based on these figures.

We would own the defibs but would need to be aware that would probably need replacing after eight years.

Play Area Inspections 2023, report conclusions and recommendations.

Pages 1 and 2 of this report include the general and specific recommendations arising from the play area inspections in autumn 2023. The skate park was not inspected as it had just been installed, the council's other 6 play areas were inspected by *The Play Inspection Company*. It is suggested that the skate park be added back into the inspections in the autumn of 2024, when it will be 12 months old.

It is noted that the inspection commissioned reported on the safety of the items only, not their anticipated life-expectancy. As a safety inspection, the consideration was of how likely an accident was to occur and how severe any accident may be. I recommend that a life-expectancy assessment is included in all 7 inspections, at a cost of £15 per report.

Pages 3 to 12 have detailed extracts from the received reports, highlighting any maintenance and safety issues identified.

Note: prices stated are exVAT and delivery.

Recommendations:

General

Add 'Life Expectancy' to the annual inspections, at £15 per play area. The cost would therefore be £105 (7 play areas at £15 per area).

1. Appletree gardens

Given the condition of the grass surface in general, the footing of the springer and the Seesaw, it is recommended that consideration be given to replacing the seesaw and laying a suitable flooring in this Council term, in consultation with local residents.

2. Anchor Park

Given the general condition of many of the items and the non-compliance of safety surface across the site (most are too small) it is recommended that consideration be given to replacing flooring in this Council term. Ideally this would be part of a coordinated replacement of the play equipment, in consultation with local residents.

3. Churchfields Skate Park

Add the Skate Park back in to the annual inspection regime in autumn 2024, at an estimated additional cost of £100, plus £15 if a life expectancy report is required.

4. Lords Meadow

A concern was noted that all wooden equipment is split, with deep narrow voids, accelerating internal rot. Therefore, given the general condition of many of the items, it is recommended that consideration be given to replacing the entire play area. The Zip Wire and Basket Swing, both well-used equipment, need replacement sooner than the remaining pieces, ideally this would be part of a co-ordinated replacement of the play equipment, in consultation with local residents.

Replace the fence and re-site goal posts as soon as possible. Suggested action is to extend the width of the fence by approx. 25% and install a socketed goal post with 4 sockets, so the goal may be moved periodically to allow the grass to recover. (estimated

cost £2,000 for a metal, socketed $goal^1$ (inc. installation materials, excluding nets) and £12,500 for the fence, though prices for fencing are hard to predict. The fence is a specialist task.

Replace bin in the fenced play area (suggested item c. £705 ex options)

5. Ridgeway Drive

Undertake general maintenance as required in Spring/Summer 2024

6. Westward Ho!

Undertake general maintenance as required in Spring/Summer 2024

Replace bin in the fenced play area (suggested item c. £705 ex options)

7. Wren Close

Undertake general maintenance as required in Spring/Summer 2024.

Replace surface as soon as possible (estimated cost £5,000)

Suggested bin to install at parks

The capacity is 240L (3 x 80L). The slot of each of the two recycling containers can be changed to suit what is required (suggest 1 for plastic bottles and 1 for cans). UK manutacture in galvanised steel and galvanised coat over welds. Lead time approx 6 weeks.

The dimensions of the bin are Height: 1015mm, Width: 1510mm, Depth: 535mm.

The colst for 2 bins is £675 each, delivery for 2 or more is free.

Options include (all at a cost):

Anti-grafitti paint at £85 per bin

The Council's logo at £30 per bin – I suggest this one option is included.

A3 advertising panels at £30 per panel. (These would allow inserts to be changed)

Fixing kit at £9.95 per bin

Seagul flaps at £60 per bin

Pyramid top rather than flat is a no-cost option.



¹ This is the price for a pair of goals and sockets. All sockets would be needed at this location but only one goal.

				Estimated cost		carry out
Appletree Gardens	Seesaw	Worn seat dampers	Replace	Q Parts £236 plus	Specialist tools may be	NTC
		Excessive movement in	Replace	Q Parts at £450	This would require removal	Specialist
		central Support pivot		plus delivery	and replacement of the	contractor
					unit's central leg.	
					The whole unit could be	Specialist
					replaced for £1,640	contractor
					including delivery and	
					Installation	
	Springer	The footings have now	Raise the height of		Area around to be	
		become exposed, in	the surface to make		resurfaced.	
		contravention of British	compliant.			
	Grass surface	Wearing and damaged	Re-surface as	E £6,000 for a		If a bonded
			required.	replacement		mulch-
				surface in		Specialist
				bonded mulch.		If grass,
.,	Fence	Some loose post footings	Secure the footings			NTC
Recommendation	Given the cond	Given the condition of the grass surface in general, the footing of	general, the footing o	f the springer and th	the springer and the Seesaw, it is recommended that	d that
	consideration bresidents.	consideration be given to replacing the seesaw and laying a suital residents.	esaw and laying a suit	able flooring in this	ble flooring in this Council term, in consultation with local	with loc

G Langton 01.03.2024

Play Area	Item	Inspection finding	Work required	Quoted /	Note
				Formation Coor	
Anchor Park	Fence	Some loose post footings	Secure the footings		
	Benches	Some exposed bolt	Cover exposed		
		threads	threads		
		Some damaged timbers	Replace timbers		
	1-bay, 2-seat	Wear to cross bar	Replace as required		
	flat swing	connectors			
		Surface worn and too	Monitor and replace		
		narrow, does not meet	with compliant		
		British Standard	surface in due		
			course		
	Basket swing	Cross bar connectors	Replace	E £500	
		corroded, bushes worn,			
		Suspension chain worn,	Replace	E £1,500 plus	
		basket ropes worn and		delivery	
		damaged			
		Leg plates have sharp	Grind back or cover		Caused by erosion of the
		edges			wooden legs
	1-bay, 2-seat	Chains worn	Replace chains	E £240 (£120 per	
	cradle swing			set of chains	
				(8mm stainless	+
				steel)) plus	it may prove cheaper and
				delivery	more cost effective to
		Seats damaged	Replace seats	E £200 per seat	replace the whole unit (E
		Frame fixings corroded	Replace		±3,300 ptus iiistatiation)

Recommendation											
	maintenance gate	Fence and		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Pedestrian		Trees		Multi-play		Roundabout
Given the general condition of many of the items and the non-c small) it is recommended that consideration be given to replace co-ordinated replacement of the play equipment, in consultating the consultation of the play equipment in consultation of the play equipment.	Corrosion present	Some loose post footings	uneven	Ground at entrance	Sign post needs a cap.	close to play equipment	Overhanging trees too			Surface corrosion	Fixings have worked loose
Given the general condition of many of the items and the non-compliance of safety susmall) it is recommended that consideration be given to replacing flooring in this Courco-ordinated replacement of the play equipment, in consultation with local residents.	Treat and repaint	Secure the footings	-	Repair	Replace					Treat and repaint	Tighten
Given the general condition of many of the items and the non-compliance of safety surface across the site (most are too small) it is recommended that consideration be given to replacing flooring in this Council term. Ideally this would be part of a co-ordinated replacement of the play equipment, in consultation with local residents.						sought for wice	Will be part of quotes	weather permitting.	Unit being replaced,		
s the site (most are too deally this would be par	NTC	NTC	specialist	NITC or	NTC	works			placed, Alvian	NTC	NTC

																				play area	Younger children's	I ords Meadow:		Play Area
Cicco	Multi-play -	Multi-play				Q	Cradle swings						Plant growth	Bench				Bins		Gate	0.00	Fance		item
pecollies excessive.	Re-set the slide if play	Surface corrosion		Frame fixings corroded	Seats damaged		Chains worn			mulch surface	damaging the bonded	in the surface. This is	Vegetation establishing	Timber decaying and damaged			secure	Bins broken and not	whole motion	Finger traps across	Corrosion	Some loose post footings		Inspection finding
		Treat and repaint		Replace	Replace seats		Replace chains	surfaces	bonded mulch	the manufacturers of	is recommended by	chemical treatment	Kill vegetation – only	Refurbish				Replace		Adjust	Treat	Contro the feetings		Work required
					E £200 per seat		E \$240 (\$120 per								BX45G 2596-T- RC(W) Broxap	Recycling Bin:	Triple Slim	E £705 Derby					Estimated cost	Quoted /
						It may prove cheaper and more cost effective to replace the whole unit (E £3,500 plus installation)																		Note
specialist	NTC or	NTC	contractor	NTC or specialist	NTC	Ž	OTIN						NTC	NTC				NTC		NTC	Z	11011	carry out	Who to

		Lords Meadow: field	
Outdoor Gym equipment	Basketball hoop and court	Football goal and fence	Springer Bee
Signage must be provided to meet British Standards (to include, but not limited to: intended use, intended users, medical safety and NTC details as park operator) All pieces loose in foundations, not operating correctly and have surface corrosion and sharp edges evident.	Backboard damaged Vegetation growth on surface Minor damage to surface	Excessive wear to ground Fence damaged	Surface corrosion Minor damage to body Loose handgrip
	Replace Clear vegetation – weed burner recommended Monitor	Re-site goal in sockets to allow for on-site relocation Extend and replace fence	Treat Repair Tighten
E £100 per sign from the manufacturer	E £200 plus delivery		
At least one piece of equipment has had parts removed. There would be no applicable signage. Remove all pieces?			
Specialist contractor	NTC NTC	NTC or specialist contractor Specialist contractor	NTC NTC

																	chaloule	wooden play	Lords Meadow:			
Training bala	Monkeyhars			Stilts			Side	2						(Basket swing				Log climber			Collega
and damaged	C+opping of opposite	Rot in timbers	foundations	Posts loose in	Damage to slide	Rot in timbers	Surface corrosion						Split and rotten timbers		Seat clearance too low	Post loose in foundations		Ropes & nets worn	Bolt caps/covers missing	grass	Services covers proud of	Grass encroachment
Replace tops		Replace	10-900	Bo-so+	Repair	Replace	Ireat					piece?	Replace whole		Adiust	Re-set	Replace	-	Replace	surrounding surface	Reinstate	Re-seed/turf Cut back
																installation	E£1,1750 plus	plus delivery	E £1 50 per cen			
Note – stepping stones being withing the fall area of the item contravenes British								requiring medical attention'	probability of an injury	moderate risk, which	uprights. Unit rated as a	deep narrow voids in the	the main cross-bar and	piece Internal rot evident in	0							
Specialist contractor	contractor	Specialist	NTC	NIC	contractor	Specialist	NTC						CORTIACTO	_	+	contractor	Specialist	Z.				NTC

		Recommendation			equipment	Lords Meadow: Metal play													
Replace bin	Given the gener area. The Zip Wi this would be pa	A concern was i		stide	1-bay, 2-seat	Overhead rotator						General	•	Zip Wire	Climbing post		Net Climber		
	Given the general condition of many of the items, it is recommended that consideration be given to replacing area. The Zip Wire and Basket Swing, both well-used equipment, need replacement sooner than the remaining this would be part of a co-ordinated replacement of the play equipment, in consultation with local residents.	A concern was noted that all wooden equipment is salit with door	loose Surface corrosion	Chains worn Seats damaged and	Seats too low	Corrosion evident					onto surface	Vegetation encroaching	o de la companya de l	Significant deterioration	Footpegs missing		Bolt caps/covers missing	Rotating handgrips	
	items, it is recommen well-used equipment, cement of the play equ	properties split with do	Treat and repaint	shorter lengths Replace the seats	Replace chains with	Treat and repaint	surfaces	bonded mulch	the manufacturers of	is recommended by	chemical treatment	Kill vegetation - only	unit	Remove and replace	Replace		Replace	Secure	
	ded that consideranced replacement ipment, in consulta												L # 10,000	E 215 000		plus delivery	E £1.50 per cap		
	Given the general condition of many of the items, it is recommended that consideration be given to replacing the entire play area. The Zip Wire and Basket Swing, both well-used equipment, need replacement sooner than the remaining pieces, ideally this would be part of a co-ordinated replacement of the play equipment, in consultation with local residents.																		Standards. Should they be removed?
	entire play ieces, ideally	210			NTC	NTC					(NTC	Specialist		NTC		NTC	NTC	

	(inspection inding	work required	Quoted / Estimated cost	Note	Who to carry out
Westward Ho! Park	Signage	Requires bolt fixing	Re-fix		II.	NTC
		Signage to be compliant	Replace signs	E £50 per sign		NTC
	Fence	Some loose post footings	Secure the footings			NTC
	Bins	Lids not locked in place	Replace with suitable bin	E £705 Derby Triple Slim Recycling Bin: BX45G 2596-T-		NTC
	Train	Fill empty bolt holes	Inserts to be	E £250		NTC
	Play Panel	Loose in foundations	Re-set			NTC
	Roundabout	Corrosion	Treat and re-paint if required			NTC
	Multi-play (junior)	Fireman's pole loose Slide hand rails loose	Repair as required			NTC
	2-Bay swing	Chain wear	Replace	E £120 per chain		NTC
	set w/you-n- me swing	Connector wear	Replace	E£100 per set		NTC
	2-Bay swing set w/basket	Chain incorrectly sited and worn	Re-set chain (or) Replace	E £120 per chain		NTC
	swing	Shackle wear	Replace	E £100 per set		NTC
Recommendation	Undertake gen Replace bin	Undertake general maintenance as required in Spring/Summer 2024 Replace bin	ed in Spring/Summer	2024		

recommendation	Doommon Latini																						ANIELI CIOSE	Wron Cloop		riay Area
Undertake gen		SWING	2-Bay cradle		Adjacent tree				Multi-play	Springer		Bench	C G G	Cidnodo			G	Gate		Tarmac	C C	Edging	(wetpour)			Item
Ondertake geheral maintenance as required in Spring/Summer 202.	Surface corrosion	Chain worn	Shackles worn	Health of tree is to be determined	Damaging surface.	Chain wearing	Rought or split timbers	Bolt covers missing	Surface corrosion	Spring rusting		Corrosion present	וסנ, ווסנוצוני	TOC SCENITO		Finger trap	Closes too quickly	Class to aviolat	the surface	Moss, vegetation, algae	degraded, trip hazards	Surface around has	Surface shrinkage			inspection finding
red in Spring/Summer :	ireat and re-paint	Replace	Replace	investigate	Tree surgeon to	Replace	Repair or replace	Replace	Treat and re-paint	Treat and repaint	required	Treat and repaint as	required			Adjust	Adjust	Adinat		Clean		Reinstate surface	Replace surface			Work required
4.		E £250	E £120 per chain		E £300								п н 50	1									E £5000		Estimated cost	Quoted /
Replace surface as soon as possible.				sought for wider tree works	Will be part of quotes																					Note
	NTC	NTC	NTC	contractor	Specialist	NTC	NTC	NTC	NTC	NTC		NTC	NTC	COILLIACTOL	specialist	NTC or	NTC			NTC	Z	contractor	Specialist	work	carry out	Who to